3

4

5

7

8

10

11

12

13

14 15

16

17

18

19

20 21

22

23

24

25

34. (Currently amended) One or more computer storage media

containing instructions that, when included in an application executed by $a\underline{\mathbf{n}}$

embedded computing system provide and manage a generic interface between a

generic data source local to the computing system and a displayed list of items

from the generic data source, a configuration and an appearance of the displayed

list being determined by selections from an original equipment manufacturer

(OEM) graphical user interface (GUI) software, wherein the instructions perform

the following steps:

1-33. (canceled)

receiving the selections from the OEM GUI software to determine the configuration and the appearance of the displayed list;

accessing the generic data source that contains one or more of the items;

populating the displayed list with the items from the generic data source according to one or more scrolling events received;

wherein the OEM GUI software is configured independently of the one or more media; and

wherein the instructions are executable on different computing platforms and in different applications to provide the displayed list.

2

3

5 6

8

9

10

11

12 13

14

15

16

17

18 19

20

21 22

23

24 25

embedded 37. (Currently amended) An computer system, comprising:

a computer processor;

a display communicatively coupled with the computer processor;

a memory communicatively coupled with the computer processor, wherein the memory is capable of storing:

an original equipment manufacturer (OEM)-selected application to be executed by the computer processor;

a data source locally accessible to the OEM-selected application; and an OEM-provided software that selects a configuration and an appearance of a list of data items from the data source to be presented on the display;

a list manager capable of being added to the OEM-application and providing an interface between the data source and the list;

wherein the list manager receives the configuration and the appearance from the OEM-provided software, accesses the data source, and populates the list of data items according to the configuration and the appearance; and

1	-
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	

wherein the list manager is capable of residing on various systems using various computing platforms and wherein the list manager is capable of being added to various applications.

38. (Previously Presented) The system as recited in claim 37, wherein the list manager further populates the list of data items according to a scrolling event.

39-40. (Canceled)

509-324-9256 ext 249